



# HAAT Supreme Wastech Pvt. Ltd.

Village & Post Office Bajida Jattan, District Karnal

Email: [haatsupreme@yahoo.in](mailto:haatsupreme@yahoo.in)

HSWPL/2025-26/136-139

Dated: 28.05.2025

To

1. The Chairman,  
State Level Environment Impact Assessment Authority,  
Bays No.55-58, Prayatan Bhawan, Sector-2 Panchkula.  
[seiaa-21.env@hry.gov.in](mailto:seiaa-21.env@hry.gov.in)
2. The Member Secretary,  
Haryana State Pollution Control Board,  
C-11, Sector-6, Panchkula.  
[mshspcb@gmail.com](mailto:mshspcb@gmail.com)
3. The Regional Officer,  
Ministry of Environment & Forests  
Sector 31-A, Section 24 & 25, South Road, Chandigarh, 160030  
[ronz.chd-mef@nic.in](mailto:ronz.chd-mef@nic.in)
4. The Regional Officer,  
Haryana State Pollution Control Board,  
Karnal  
[hspcbrokar@gmail.com](mailto:hspcbrokar@gmail.com)

**Sub: Six Monthly Compliance Report for June, 2025.**

Respected Sir,

Please find enclosed herewith six monthly compliance report of June, 2025 (October, 2024 to March, 2025) through email and is being uploaded on Parivesh Portal for kind information and necessary action.

**DA/Report**

For Haat Supreme Wastech Pvt. Ltd

  
Auth. Sign

---

**Head Office : # 316, Defence Colony, Hisar**  
**Mob : 9992600126, 99927-15000**

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT  
Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45,  
Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District  
Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

---

**Six-Monthly Compliance Report  
of  
Stipulated Conditions  
of  
Environmental Clearance**

**(October, 2024 to March, 2025)  
June, 2025**

**FOR**

**"CBWTF"  
HAAT Supreme Wastech Pvt Ltd.,  
Village Bajida Jattan,  
District Karnal, Haryana**

**For Submission to:**

- 1. State Environment Impact Assessment Authority, Haryana.**
- 2. Ministry of Environment, Forest & Climate Change (MoEFCC).**
- 3. Haryana State Pollution Control Board.**

**Submitted by:**

**HAAT Supreme Wastech Pvt Ltd.**

## Table of Contents

<b>S.No.</b>	<b>Contents</b>	<b>Page</b>
<b>1</b>	<b>INTRODUCTION &amp; PROJECT DESCRIPTION</b>	<b>1</b>
	<b>1.1 INTRODUCTION</b>	<b>1-2</b>
	<b>1.2 PROJECT DESCRIPTION</b>	<b>2</b>
<b>2</b>	<b>COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE</b>	<b>3</b>
	<b>A SPECIFIC CONDITIONS</b>	<b>3-6</b>
	<b>B STATUTORY COMPLIANCE</b>	<b>7-9</b>
	<b>I Air Quality Monitoring and Preservation</b>	<b>9-10</b>
	<b>II Water Quality Monitoring and Preservation</b>	<b>10-11</b>
	<b>III Noise Monitoring and Preservation</b>	<b>12-13</b>
	<b>IV Public Hearing and Human Health Issues</b>	<b>13-14</b>
	<b>IV Corporate Environment Responsibility</b>	<b>14-15</b>
	<b>VI Miscellaneous</b>	<b>15-19</b>
<b>(i)</b>	<b>Chart showing results of trade effluent after treatment in ETP</b>	<b>20</b>
<b>(ii)</b>	<b>Chart showing results of Air Emissions (Incinerator)</b>	<b>21</b>

<b>3</b>	<b>Annexure 1 to 13</b>	<b>22</b>
<b>Annexure</b>	<b>Content</b>	<b>Page</b>
<b>1</b>	<b>Consent to Operate under Water/Air Acts, 1974/1981 with validity upto 30.09.2025</b>	<b>23-25</b>
<b>2</b>	<b>Authorization under HWTM Rules with validity upto 30.09.2028</b>	<b>26-28</b>
<b>3</b>	<b>Authorization under BMW Rules with validity upto 30.09.2025</b>	<b>29-31</b>
<b>4</b>	<b>Manifest of ETP sludge dated 27.01.2025 under Hazardous Waste Management Rules issued by GEPIL</b>	<b>32</b>
<b>5</b>	<b>Bills of supply of water through tanker for the month of October, 2024</b>	<b>33</b>
<b>6</b>	<b>Bill of supply of water through tanker for the month of March, 2025</b>	<b>34</b>
<b>7</b>	<b>Calibration Certificate dated 26.03.2025 for Continuous Emission Monitoring System</b>	<b>35</b>
<b>8</b>	<b>Analysis Report of Trade Effluent dated 20.01.2025</b>	<b>36</b>
<b>9</b>	<b>Analysis Report of Air Emissions (Incinerator) dated 16.01.2025</b>	<b>37</b>
<b>10</b>	<b>Noise Monitoring Report dated 20.03.2025</b>	<b>38</b>
<b>11</b>	<b>Manifest dated 27.01.2025 of Incineration Ash</b>	<b>39</b>

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

---

<b>12</b>	<b>Six Monthly expenditure incurred on various activities in compliance of implementation of Environment Management Plan for the period 01.10.2024 to 31.03.2025</b>	<b>40</b>
<b>13</b>	<b>Proof of receipt of submission of Environment Statement</b>	<b>41</b>

# 1

## 1.1 INTRODUCTION

- Six monthly environmental compliance report is submitted for period October, 2024 to March, 2025 for "Common Bio Medical Waste Treatment Facility" (CBWTF) of M/s HAAT Supreme Wastech Pvt Ltd. The CBWTF is located at Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
- Environmental Clearance had been obtained from State Environment Impact Assessment Authority, Haryana vide letter no.: SEIAA/HR/2019/469 dated 13.12.2019.
- Consent to operate for the project had been obtained from Haryana State Pollution Control Board under Water (Prevention & Control of Pollution) Act, 1974 vide letter no. HSPCB/Consent/: 320220920KARCTO7679686 dated: 29.06.2020 (**Annexure-1**) with validity from 01.10.2020 to 30.09.2025.
- Consent to operate for the project had been obtained from Haryana State Pollution Control Board under Air (Prevention & Control of Pollution) Act, 1981 vide letter no. HSPCB/Consent/:320220920KARCTO7679686 dated 29.06.2020 (**Annexure-1**) with validity from 01.10.2020 to 30.09.2025.
- Authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 had been obtained from Haryana State Pollution Control Board vide letter no. HWM/KAR/2024/79314920 dated 30.10.2024 (**Annexure-2**) with validity upto 30.09.2028.
  - Authorization under Bio Medical Waste Management Rules, 2016 had been obtained from Haryana State Pollution Control Board vide letter no. HSPCB/BMW/2020-2021 Dated 31/07/2020 with validity from

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025  
01.10.2020 to 30.09.2025 (**Annexure-3**).

- Specific and general conditions stipulated in Environmental Clearance as applicable have been complied.
- Environmental mitigation measures described in Environmental Management Plan are being implemented in operational phase.
- HAAT Supreme Wastech Pvt Ltd is fully conscious about Environmental Management and enhancing green belt development in CBWTF and in surrounding area.
- Six monthly compliance report for October, 2024 to March, 2025 for conditions stipulated in the Environmental Clearance letter issued by SEIAA, Haryana on 13.12.2019 are enclosed.
- Photographs in view of implemented mitigation measures and other compliances are also attached for ready reference.

## 1.2 PROJECT DESCRIPTION

- Incinerator Capacity 70 Kg/hr.
- Autoclave Capacity 25 Kg/batch.
- Shredder Capacity 50 Kg/hr.
- Ash Pit 1 No.
- Sharp Pit 1 No.
- Effluent Treatment Plant (ETP) comprising of Collection-cum-Equalization Tank, Air Blower, Chemical Reaction, Settling tank, Pressure Sand Filter, Activated Carbon Filter and Final Treated Tank.
- Air Pollution Control Devices (APCD) comprising of Dust Collector, Venturi Scrubber and Mist Eliminator with stack height of about 31 meter.
- Online Continuous Emission Monitoring System with stack of Incinerator has been installed.

# 2

## COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE

### A. SPECIFIC CONDITIONS

S.No	Conditions	Compliance Status
1	The sludge of ETP shall be disposed of as per the guidelines of SPCB/CPCB.	The sludge of ETP is being disposed of to Common Hazardous Waste Treatment & Disposal Facility approved by HSPCB namely M/s GEPIL located at Faridabad. The copy of manifest is enclosed at <b>Annexure-4</b> .
2	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies.	Complied.
3	The PP shall obtain the permission regarding withdrawal of ground water from CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from CGWA.	The permission from withdrawal of ground water from CGWA is not required as requirement of fresh water is being met from tankers. Two bills of month October, 2024 and March, 2025 are enclosed at <b>Annexure- 5 and 6 respectively</b> . Consent to operate for the project had been obtained from Haryana State Pollution Control Board under Water/Air (Prevention & Control of Pollution) Act, 1974/1981 vide letter no. HSPCB/Consent/: 320220920KARCTO7679686 dated: 29.06.2020 ( <b>Annexure-1</b> ) with validity from 01.10.2020 to 30.09.2025.

4	The PP shall not allow to park the vehicles on the roads or revenue rasta outside the project area.	Complied.
5	The PP shall take all measures to control the smell coming out of the project.	<p>Complied.</p> <p><b>(i) Impact of odour on Air Quality</b>            Odour sensation is induced by inhaling airborne volatile organics or inorganic which may or may not have toxic effects. Partial putrefaction of the waste produces obnoxious odorous volatile organic and inorganic substances which spoils the aesthetic environment for human beings. The people who reside nearby CBWTF to a major extent experience the odour nuisance. Odour is typically generated, if the biomedical waste is not timely treated.</p> <p><b>(ii) Mitigation measures</b> Following mitigation measures are being adopted at site to control odour.</p> <ul style="list-style-type: none"> <li>• Waste collecting vehicles, containers and store rooms are washed on daily basis.</li> <li>• The biomedical waste is treated within 48 hours.</li> <li>• Closed cabin vehicles are used for the collection and transportation of biomedical wastes.</li> <li>• Masks are provided to workers to avoid health issues due to odour.</li> </ul>

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

		<ul style="list-style-type: none"> <li>• Adequate green belt/plantation has been developed to control odour.</li> <li>• Good housekeeping practices are being &amp; will be followed.</li> <li>• Dilutions of odorant by odour counter action or neutralize by spraying Ecosorb (organic and biodegradable chemical) around odour generation areas at regular intervals.</li> </ul>
6	The PP shall carry out the quarterly awareness programs for the residents of the stakeholders of the project.	Complied.
7	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.	Agreed.
8	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPBC online servers.	Complied. Further, Online Emission Monitoring System (OCEMS) is connected to CPCB and HSPCB server.
9	The PP shall get calibrate emission monitoring system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. The calibration certificate dated 26.03.2025 issued by supplier of CEMS is enclosed at <b>Annexure-7</b> .
10	The PP shall run the facility at the existing capacity level as per the CTE/CTO issued by the HSPCB for the current financial year.	Complied.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

11	The PP shall comply with the NGT orders and other necessary directions issued by any other competent authority for CBWTF.	Complied.
12	The Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.	Complied.
13.	The PP shall not allow the rain water runoff from hazardous waste storage into the 01 proposed RWH.	Complied.
14	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The Existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 1500.16 sqm (@37.07% of plot area) area shall be provided for green area development.	Complied.
15	The PP shall implement the bar coding system as per the approved MoU dated 23.05.2019 in compliance with BMW rules 2016.	Complied.
16	The BOD value of ETP shall be maintained below 10 ppm.	Complied. The Analysis Report no. 1869 dated 20.01.2025 issued by Laboratory of Haryana State Pollution Control Board, Panchkula is enclosed at <b>Annexure-8.</b>

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

**B. Statutory compliance:**

S.No.	Conditions	Compliance Status
i.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986 in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable.
ii.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable.
iii.	The project proponent shall prepare a Site-Specific Conservation Plan & wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/wildlife Management Plan shall be implemented in consultation with the State forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-1 species in the study area)	There is no presence of schedule-1 species in the study area.
v.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	The CBWTF is an existing facility established and operating since 2004. Consent to operate for the project had been obtained from Haryana State Pollution Control Board under Water/Air (Prevention & Control of Pollution) Act, 1974/1981 vide letter no. HSPCB/Consent/: 320220920KARCTO7679686 dated: 29.06.2020 ( <b>Annexure-1</b> ) with validity from 01.10.2020 to 30.09.2025.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

v.	Transportation and handling of Bio-medical Wastes shall be as per the Biomedical Wastes (Management and Handling) Rules, 2016 including the section 129 to 137 of Central Motor Vehicle Rules 1989.	Covered vehicles bearing registration no. HR38AA 5710, DL1 LAB 6730 HR56B 6247 are being used for transportation of bio medical waste from district of Karnal and covered vehicles bearing registration no. HR56A 6652 and HR56B 6247 are being used for transportation of bio medical waste from district of Panipat respectively.
vi.	Project shall fulfill all the provisions of hazardous Wastes (Management, handling and Transboundary Movement) Rules, 2016 including collection and transportation design etc and also guidelines for Common Hazardous Waste Incineration----2005, issued by CPCB Guidelines of CPCB/MPPCB for Bio-medical Waste Common hazardous Waste incinerators shall be followed.	Complied. Authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 had been obtained from Haryana State Pollution Control Board vide letter no. HWM/KAR/2024/79314920 dated 30.10.2024 ( <b>Annexure-2</b> ) with validity upto 30.09.2028.
vii.	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.	The permission from withdrawal of ground water from CGWA is not required as requirement of fresh water is being met from tankers. Bills for month of October, 2024 and March, 2025 are enclosed at <b>Annexure- 5 &amp; 6</b> respectively.
viii.	A certificate of adequacy of available power form the agency supplying power to the project along with the load allowed for the project should be obtained.	This is an existing project established and operating since 2004.
ix.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department,	Not applicable being an existing project. Further, provision has been made for control of fire by

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

	Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.	providing bucket filled with sand and fire extinguisher in the facility.
--	---	--

**I. Air quality monitoring and preservation**

S.No.	Conditions	Compliance Status
i.	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time, according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. Further, Online Emission Monitoring System is connected to CPCB and HSPCB server. The calibration certificate dated 26.03.2025 issued by supplier of CEMS is enclosed at <b>Annexure-7</b> .
ii.	Periodical air quality monitoring in and around the site including VOC, HC shall be carried out.	The monitoring report will be got conducted during this year and will be submitted with six monthly compliance report of December, 2025.
iii.	Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, so as to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3% , or their loss on ignition is less than 5% of the dry weight of the material.	The incinerator is being operated after obtaining desired temperature in primary and secondary chamber stipulated in Bio Medical waste Rules.
iv.	Venturi scrubber (alkaline) should be provided with incinerator with stack of adequate height (Minimum 30 meters) to control particulate emission within 50mg/nm3.	Complied. The Analysis Report no. 761 dated 16.01.2025 issued by Laboratory of Haryana State Pollution Control Board, Panchkula showing particulate emission of 46.7

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

		mg/nm <sup>3</sup> against limits of 50 mg/nm <sup>3</sup> is enclosed at <b>Annexure-9</b> .
v.	Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards. All necessary air pollution control devices (quenching Venturi scrubber, mist eliminator) should be provided for compliance of emission standards.	Complied. The facility has provided Dust Collector, Venturi Scrubber and Mist Eliminator alongwith adequate stack height of about 31 meters as air pollution control devices for compliance of emission standards.
vi.	Masking agents should be used for odour control.	Sodium Hypochlorite is being sprayed for odour control. Further, to control the smell, the bio medical waste is being treated and disposed of within 48 hours of generation as per Bio Medical Waste Management Rules.

**II. Water quality monitoring and preservation**

S.No.	Conditions	Compliance Status
i.	The project proponent shall install effluent monitoring systems with respect to standards prescribed in Environment (Protection) Act, 1986 or NABL accredited laboratories.	Continuous online monitoring emission system has been provided for air emissions. However, none of CBWTF has installed effluent monitoring system.
ii.	Waste water generated from the facility shall be treated in the ETP and treated waste water shall be reused in the APCD connected to the incinerator. The water quality of treated effluent shall meet the norms prescribed by state Pollution Control Board. Zero discharge should be maintained.	Complied.
iii.	Process effluent/any waste eater should not be allowed to mix with storm water.	Complied.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

iv.	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.	Agreed & Complied. Further, permission from withdrawal of ground water from CGWA is not required as requirement of fresh water is being met from tankers. Bills for month of October, 2024 and March, 2025 are enclosed at <b>Annexure- 5 &amp; 6</b> respectively.
v.	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused within the project.	There is no requirement of installation of Sewage Treatment Plant as effluent discharge is less than 10 KLD and our facility had already provided septic tank/soak pit.
vi.	A certificate from the competent authority for discharging treated effluent/untreated effluents into the Public sewer/disposal/drainage systems along with final disposal point should be obtained.	Not required as treated effluent from ETP is being used in horticulture, washing of vehicles, floor washing and used as make up water in scrubber for re-circulation.
vii.	The leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.	Agreed and Complied. The Analysis Report no. 1869 dated 20.01.2025 issued by Laboratory of Haryana State Pollution Control Board, Panchkula is enclosed at <b>Annexure-8</b> .
viii.	Magnetic flow meters shall be provided at the inlet and outlet of the ETP & all ground abstraction points and records for the same shall be maintained regularly.	Agreed and complied.
ix.	Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.	Complied.

### III. Noise monitoring and prevention

S.No.	Conditions	Compliance Status
i.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz 75 dB(A) during day time and 70 dB(A) during night time. V. Energy Conservation measures i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly; i. Provide LED lights in their offices .VI. Waste management i. incinerated ash shall be disposed at approved TSDF and MoU made in this regard shall be submitted to the Ministry prior to the commencement.	Noise monitoring has been analysed and report has been issued on 20.03.2025 by NABL accredited laboratory namely Envirochem Testing Lab & Research Centre, Panipat is enclosed at <b>Annexure-10</b> . The solar lights for common areas have been installed. The LED lights have been provided in the office and in the facility wherever required. Incineration ash is being disposed off to approved TSDF i.e. M/s GEPIL, Faridabad. Copy of manifest dated 27.01.2025 is enclosed at <b>Annexure-11</b> .
ii.	The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016.	Complied. However, no substantial quantity of solid waste is being generated.
iii.	A certificate from the competent authority handling municipal solid wastes should be obtained, including the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project.	Not required.
iv.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	Agreed.
v.	No landfill site is allowed within the CBWTF site	Agreed and there is no landfill site in the facility.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

vi.	The Project proponent shall not store the Hazardous waste more than the quantity the has been permitted by the CPCB/SPCB.	Complied.
vii.	Green belt shall be developed in area as provided in project details, with native tree Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The green belt shall inter alia cover the entire periphery of the plant.	Complied.

**IV. Public Hearing and Human Health Issues**

S.No.	Conditions	Compliance Status
i.	Feeding of materials/Bio-medical waste should be mechanized and automatic. No manual feeding is permitted.	Complied.
ii.	Proper parking facility should be provided for employees & transport used for collection & disposal of waste materials.	Complied.
iii.	Necessary provision shall be made for fire –fighting facilities within the complex.	Buckets filled with sand and fire extinguishers have been provided in the facility.
iv.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan mentioned in EIA Report will be implemented as and when required.
v.	Emergency plan shall be drawn in consultation with SPCB/CPCB and implemented in order to minimize the hazards to human health or environment form fires, explosion or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water.	Emergency Plan has been submitted with EIA Report and will be implemented as per requirement.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

vi.	Occupational health surveillance of the workers shall be done on a regular basis.	Occupational health surveillance of the workers is being done on a regular basis.
-----	---	---

**V. Corporate Environment Responsibility**

S.No.	Conditions	Compliance Status
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	MoEF & CC, Govt. of India F.No. 22-65/2017- IA.III dated 1st May 2018 had been superseded by OM issued vide F.No. 22-65/2017- IA.III dated 30 <sup>th</sup> September, 2020. The status of funds is enclosed at <b>Annexure-12.</b>
ii.	The company shall have a well laid down environment policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/ violation of the environmental/forest/wild life norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental / forest / wild life norms/conditions and/or shareholders/ stakeholders. The copy of the Board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Complied. The environment policy has already been submitted.
iii.	A separate environmental cell both at the project and the company head quarter level, with qualified personnel shall be setup under the control of senior Executive, who will directly report to the Head of the organization.	Complied. Environment Cell has been defined in environment policy.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

iv.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with Six Monthly Compliance Report.	Agreed & Complied. The details of funds are enclosed at <b>Annexure-12</b> .
v.	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Third party environmental audit report has been submitted in the year 2024. Self environmental audit will be conducted by CBWTF during this year and will be submitted with six monthly compliance report of December, 2025.

**VI. Miscellaneous**

S.No	Conditions	Compliance Status
i.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environmental clearance and the details of MoEF & CC/SEIAA website where it is displayed.	Complied.

Project: “Common Bio Medical Waste Treatment Facility” of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.	Complied.
iii.	The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and updated the same on half-yearly basis.	Agreed.
iv.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environmental, Forest and Climate Change at environment clearance portal.	Agreed.
v.	<b>No condition mentioned at S.No. v in EC letter dated 13.12.2019.</b>	
vi.	The project proponent shall submit the environmental statement of each financial year in Form–V to the concerned State Pollution Control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently and put on the website of the company.	Complied. The copy of receipt as proof is enclosed as <b>Annexure-13</b> .
vii.	The criteria pollutant levels namely; PM <sub>10</sub> , Pm <sub>2.5</sub> , SO, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Complied and displayed near the main gate of the facility.

**Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.**

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

viii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project .The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Agreed.
ix.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Complied. Further, it is informed that being an existing project, no public hearing was held in view of SEIAA memo No. SEIAA/HR/2017/630 dated 14.09.2017.
x.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF & CC).	Complied.
xi.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed.
xii.	The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
xiii.	The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed.

**Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.**

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**


xiv.	The Regional office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.	Agreed.
xv.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts/NGT and any other Court of Law relating to the subject matter.	Agreed.
xvi.	Any appeal against this EC shall lie with /National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act.	Agreed.
xvii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (soft copies) to the northern Regional Office of MoEF, HSPCB and SEIAA Haryana.	Agreed.
xviii.	The project proponent shall not violate any judicial orders/pronouncements issued by any Court/Tribunal.	Agreed.

**Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.**

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**


xix.	For disinfection of the treated wastewater ultra-violet radiation or ozonization process should be used.	Not required as CBWTF has provided adequate ETP to treat the effluent and the treated effluent passes through carbon and pressure sand filter before final disposal.
xx.	The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapotranspiration data.	The treated effluent from ETP is being disposed of for horticulture, washing of vehicles, floors and for makeup water in scrubber for re-circulation.
xxi.	The project proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning and adhesive. Project proponent shall also provide Halon free fire suppression system.	Complied.
xxii.	Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rule 1986 shall be strictly complied with.	Complied.
xxiii.	All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.	Complied.
xxiv.	The project proponent should intimate to the authority well before shifting their address of communication.	Noted and presently there is no Change in address of communication.

(i) Chart showing results of trade effluent after treatment in ETP



Parameter	Results mg/l	Limits mg/l
BOD mg/l	7.2	10
COD mg/l	44	250
Total Suspended Solids mg/l	13	100
Oil & Grease	< 2	10

(ii) Chart showing results of Air Emissions (Incinerator)



Parameter	Results	Limits
SPM mg/m <sup>3</sup>	46.7	50





# Annexures 1 to 13

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

Annexure-1

Consent to Operate under Water/Air Acts, 1974/1981 with validity upto 30.09.2025

 <b>HARYANA STATE POLLUTION CONTROL BOARD</b> Regional Office Karnal, 2nd floor of SCO No.78-79 above PNB bank, near namstay Chowk, Karnal, Haryana. Email:- hspcbrokar@gmail.com E-mail: hspcb@hry.nic.in			
No. HSPCB/Consent : 220228928KARCTD/679686		Dated: 25/06/2025	
To:			
M/s Haat Supreme Wastech Pvt. Ltd VPO, Bajida Jattan, Karnal			
Subject: Grant of consent to operate to M/s Haat Supreme Wastech Pvt. Ltd.			
Please refer to your application no. 7679686 received on dated 2020-06-01 in regional office Karnal. With reference to your above application for consent to operate, M/s Haat Supreme Wastech Pvt. Ltd is hereby granted consent as per following specification Terms and conditions.			
Consent Under	BCTTH		
Period of consent	01.10.2025 to 30/09/2025		
Industry Type:	Common treatment and disposal facilities (CTDP, T&DF, E-waste recycling, CMMWTF, effluent recovery project, incinerator, solvent/acid recovery plant, MSW sanitary land fill site)		
Category	RED		
Investment(In Lakh)	24.6000004		
Total Land Area(Sq meters)	4046.0		
Total Building Area(Sq meter)	250.0		
<b>Quantity of effluent</b>			
1. Trade	3.0 KL/Day		
2. Domestic	0.5 KL/Day		
Number of outlets	2.0		
<b>Mode of discharge</b>			
1. Domestic	Septic Tank		
2. Trade	Rented		
<b>Domestic Effluent Parameters</b>			
1. BOD	30 mg/l		
<b>Trade Effluent Parameters</b>			
1. BOD	30 mg/l		
2. COD	250 mg/l		
3. TSS	100 mg/l		
Number of stacks	1		
<b>Height of stack</b>			
1. Stack to incinerator	30 m		

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

<b>Emission parameters</b>	
1. SO <sub>2</sub>	150 mg/m <sup>3</sup>
<b>Product Details</b>	
1. BSW waste	300 Metric Tonnes/day
<b>Capacity of boiler</b>	
1. NA	0 Ton/hr
<b>Type of Furnace</b>	
1. Incinerator	0.08 MT/Day
<b>Type of Fuel</b>	
1. Diesel	0.08 Ton/day
<b>Raw Material Details</b>	
BSW waste	0.5 Metric Tonnes/Day

Shulender Arora

Regional Officer, Karnal  
Haryana State Pollution Control Board

#### Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive orders issued by the Board in this consent order at all subsequent times without negligence of his / its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions reflected in above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollutant (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of

change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee. If found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.

12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.

13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.

14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.

15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.

16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

#### Specific Conditions :

1. That the unit shall keep all the parameters within the prescribed limits and shall comply with all the Norms and Rules as prescribed in the Acts. 2. That the unit will comply with all the provisions of BWM rules/Hazardous Waste Rules and will make agreement with GEPIL and Authorized recycler of the Board for scientific disposal of Hazardous Waste. 3. That unit will use only prescribed Fuel. 4. That unit will comply with the Mechanism evolved by MOEF for the new activities under Red and Orange categories in critically polluted cities circulated by CPCB vide no. CPCB/PC-VII/CEP/NGE/2019 dated 23.10.2019. 5. That unit will not discharge any effluent out side the premises and maintained ZLD. 6. That Unit will use treated effluent use as per CPCB guidelines for ZLD units. 7. That unit will maintain & connect the data to the server of CPCB and HSPCB. 8. That the CTO so granted shall become invalid in case of violation of any of the above / any law of the land.

Regional Officer, Karnal  
Haryana State Pollution Control Board.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

Annexure-2

Authorization under HWTM Rules with validity upto 30.09.2028

Application no. 79314920

Industry id: 1402AR639439

Date: 30/10/2024



**Haryana State Pollution Control Board**  
Regional Office Karnal, 2nd floor of SCO No. 78-79 above PNB bank, near  
namstay Chowk, Karnal, Haryana. Email:- hspcbrokar@gmail.com



No. :HWM/KAR/2024/79314920

DT: 30/10/2024

To

M/s Haat Supreme Wastech Pvt. Ltd  
VPO, Bajida Jattan, Karnal  
Karnal

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundary Movement) Rules, 2016

- Reference of application: 79314920 dated: 30/10/2024
- Ishwar Gulia of Haat Supreme Wastech Pvt. Ltd is hereby granted an authorization for generation, collection, storage on the premises situated at VPO, Bajida Jattan, Karnal

**HARYANA STATE**  
Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing, etc.	Quantity
1	Hazardous waste treatment processes, e.g. pre-processing, incineration and concentration, Ash from incinerator and fine gas cleaning residue	GEPIL (CHWTSDF)	10 T/Annum
2	Hazardous waste treatment processes, e.g. pre-processing, incineration and concentration, Sludge From wet scrubbers	GEPIL (CHWTSDF)	1 T/Annum

- The authorization shall be valid for a period of 30/10/2024 to 30/09/2028
- The authorization is subject to the following general and specific conditions :-

\_\_\_\_\_

\_\_\_\_\_

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

Application no.: 79314920

Industry id.: 14K2R859459

Date: 30/10/2024

- (i) conditions- 1) Will renew its CTO 90 days before expiry 2) Will timely renew its HWM authorisation 90 days before expiry 3) Will maintain storage site 4) Will immaculately follow the HWM Rules 2016 and as amended thereof 5) Will maintain the HWM Display Board at the entrance 6) Will submit annual returns/report timely to HSPCB 7) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable) 8) Will abide by the new HWM rules and guidelines for entity lying in proximity to the severely polluted cities as per CEPI score (if applicable) 9) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable). 9) Authorisation so granted is without prejudice to the action to be taken in respect of any violation made by PP in past & will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 10) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 11) Any appeal against this authorisation shall lie with the Appellate Authority (as constituted by the State Government of Haryana), if preferred, within a period of 30 days as prescribed under Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981. In case of appeals against any decision/directions/orders under the Environment (Protection) Act, 1986, the same shall lie as per the provisions and contents of the Section 16 of the National Green Tribunal Act, 2010. 12) Concealing factual data or submission of false/fabricated data may result in revocation of this authorisation and attract action under the relevant provisions of Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 13) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 14) The HSPCB reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

HARYANA STATE

SHARAD KUMAR ARORA, Regional Officer  
Karnal

Regional Officer Karnal  
For Haryana State Pollution Control Board

#### Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30<sup>th</sup> for the period ensuring 31<sup>st</sup> March of the year.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

Application no. 79314820

Industry id. 14E6859435

Date: 30/03/2024

**Regional Officer Karnal  
For Haryana State Pollution Control Board**



Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

Annexure-3

Authorization under BMW Rules with validity upto 30.09.2025

Application no. 78/9470  
Industry id. 140118039459  
Date 31/07/2020

**HARYANA STATE POLLUTION CONTROL BOARD**  
Regional Office Karnal, 2nd floor of SCO No.78-79 above PNB bank, near  
namastay Chowk, Karnal, Haryana. Email:- hspcbrokar@gmail.com

No. HSPCB/BMW-2020-2021      Dated 31/07/2020  
Authorization No. BMW20KAR7819370      Application No. 7819370  
Date of Submission: 30/06/2020

**BIO MEDICAL WASTE AUTHORIZATION CERTIFICATE**  
**UNDER BIO MEDICAL WASTE RULES,2016.**

1. M/s. Haat Supreme Wastech Pvt. Ltd an occupier or operator of the facility located at VPO, Hazifa Jattan, Karnal, is hereby granted an authorization for: Collection, Storage, Reception, Transportation, Treatment or processing or conservation, Disposal or destruction use.
2. M/s Haat Supreme Wastech Pvt. Ltd. is hereby authorized for handling of Biomedical Waste as per the capacity given below:
- (i) Number healthcare facilities covered by CBMWTF: 254
  - (ii) Installed treatment and disposal capacity: Kg/Day
  - (iii) Area or distance covered by CBMWTF:
  - (iv) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	850
	b) Animal Anatomical Waste	
	c) Soiled Waste	
	d) Expired or Discarded Medicines	
	e) Chemical Solid Waste	
	f) Chemical Liquid Waste	
	g) Discarded linen, mattresses, beddings contaminated with blood or body fluid	
	h) Microbiology- Biotechnology and other clinical laboratory waste	
Red	Contaminated waste (Recyclable)	35
White (Translucent)	Waste sharps including Metals	50
Blue	Glassware	30
	Metallic Body Implants	

Application no. 789978  
Industry id: LAKA0650438  
Date: 31/07/2020

3. This authorisation shall be in force for CBMWTF from a period of 01/10/2020 To 30/09/2025 Year from the date of issue.
4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

#### TERMS & CONDITIONS OF AUTHORISATION:-

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July, 2016.
2. Bio-Medical Waste shall be treated & disposed off in compliance with the standards prescribed in Schedule I.
3. Every occupier where required shall setup in accordance with the first schedule IV, incinerator treatment Bio-Medical Waste treatment facilities like incinerator, autoclave, microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at point of generation with Schedule-II prior to its storage, transportation, treatment & disposal. The containers shall be labeled according to Schedule-II.
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motor Vehicle Act, 1995 or rules there under, untreated Bio-medical Waste shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours.
9. Every authorized person shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/modified with the incinerator to achieve the above emission limits, if necessary.
12. Waste to be incinerated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinerated. Toxic metals in incineration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S.Diesel shall be used as fuel in the incinerator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

Application no: 7919370  
Industry id: 14K4869439  
Date: 11/03/2024

17. The authorization would be subject having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e. incineration, autoclaving or landfill etc.
19. The yellow bags should be non chlorinated bags.
20. The every occupier will also submit the copy of agreement every year before 30th April from any authorized services provider.

**Conditions:**

- 1. CBWTF will submit Annual Report under BMW Rules, 2016 every year.
2. the CBWTF will comply the regulations of HAWM Rules 2016 as amended till date.
3. The CBWTF will renew the agreement for disposal of their hazz Waste with the service provide before expiry.
4. The HCF will comply with provision of all applicable Acts/Rules/Direction of the Board.

**HARYANA STATE**


Regional Officer, Karnal  
Haryana State Pollution  
Control Board.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

Annexure-4

Manifest of ETP sludge dated 27.01.2025 under Hazardous Waste Management Rules issued by GEPII.

 <b>HARYANA STATE POLLUTION CONTROL BOARD</b> Regional Office Karnal, 2nd floor of SCO No.78-79 above PNB bank, near namstay Chowk, Karnal, Haryana. Email:- hspcbrokar@gmail.com <b>(Hazardous Waste Manifest)</b> Form 10 [See rule 19(1)]		Manifest No: 92577582 WHITE	Copy 1
HQ: Haryana State Pollution Control Board, C-11, Sector-6, Panchkula 134109. Ph-0172-2577870-73. Email: hqhspcb@hspcb.org.in		By Sender To HSPCB	
1	Sender's Name, Mailing Address, Phone no & Email Address:	Haat Supreme Wastech Pvt. Ltd VPO. Bajida Jattan, Karnal 9992600126 haatsupreme@yahoo.in	
2	Authorization Application No.:	79314920	
3	Authorization Letter No and Date:	HWM/KAR/2024/79314920, 2024-10-30	
4	Authorization validity:	From: 2024-10-30 To: 2028-09-30	
5	Transporter's Name, Address & Phone no:	Gujarat enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village Pali, Near Pali-Mohabatbad Stone Crusher Zone, Faridabad	
6	Transport's Registration No:	HR-55-AE-0673	
7	Vehicle No. & Type:	0678   Truck	
8	Receiver's Name, Mailing Address, Phone no & email address:	M/s Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village Pali, near Pali-Mohabatbad Stone crusher Zone, faridabad, Haryana 7290099681 haryana@uthraindia.com	
9	Receiver's Authorization No. with PCB:	HWM/FDBD/2024/13751961, 07-08-2021	
10	Total Quantity:	1 MT	
11	Physical Form:	Solid,	
12	Number of Containers:	1 Container   I   MT	
13	Name of Schedule:	Schedule I	
	Name of Process/Sub Class/Basel no:	Purification and treatment of exhaust air, water and waste water from the ..... treatment plants (CETP's)	
	Name of Process Waste(Category No):	Chemical sludge from waste water treatment	
	Detail/Reason of Subclass/Basel no:		
	Quantity:	1 MT	
	Waste Type:	Pre-Processing	
	Waste Storage:	Others   bags	
	Waste Description:	ETP Sludge	
14	Sender's Certificate:	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations.  Name & Stamp of Industry : Haat Supreme Wastech Pvt. Ltd      Date :27-Jan-25      Signature	
15	Transporter Acknowledgement of Receipts of Waste:	Stamp of Gujarat enviro Protection and Infrastructure (Haryana) Pvt. Ltd      Date :27-Jan-25      Signature	
16	Special handling instructions and additional information	use ppe's	
17	Receiver's Certification for receipt of Hazardous and other waste:	Stamp of: M/s Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village Pali, near Pali-Mohabatbad Stone crusher Zone, faridabad Date: - - -      Signature	

\*\* This is System Generated Manifest for HAZARDOUS AND OTHER WASTE by HROCMMMS Haryana \*\*  
 Created By OCMMS ID:- 14KAR659459 | Created Date:- 27-Jan-25 | Haat Supreme Wastech Pvt. Ltd, VPO. Bajida Jattan, Karnal

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.  
**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

Annexure-5

Bill of supply of water through tanker for the month of October, 2024

**SACHDEVA CEMENTS**

MAHARANA PARTAP CHOWK, G.T. ROAD, KARNAL-132001

Ref. No. - ..... Date:- 31.10.2024

Haat Supreme Wastech Pvt. Ltd.  
Bazida Jattan,  
Karnal,

**Invoice of Month of October – 24**

Month	Total water use in month	Rate per ltr	Total
October - 24	29800	1.00	29800

Sign

**Annexure-6**

**Bill of supply of water through tanker for the month of March, 2025**

**SACHDEVA CEMENTS**


MAHARANA PARTAP CHOWK, G.T. ROAD, KARNAL-132001

Ref. No. - ..... Date:- 31.03.2025

Haat Supreme Wastech Pvt. Ltd.  
Bazida Jattan,  
Karnal,

**Invoice of Month of March – 25**

Month	Total water use in month	Rate per ltr	Total
March - 25	32000	1.00	32000


  
Sign

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

Annexure-7

Calibration Certificate dated 26.03.2025 for Continuous Emission Monitoring System



Works:442 ,JLPL,Industrial Area  
Sector 82, Mohali (PB) 160055  
Ph: +91172 4190098  
Mob: +91 9988610098  
Email: sales@drexel.in  
Web: www.drexel.in

Corp: 13/2, 2<sup>nd</sup>& 3<sup>rd</sup>Floor  
Opp. Bus terminal Mehrauli,  
New Delhi 110030  
Toll Free:1800 123440098  
Mob: +91 9316660098  
info@drexel.in

Calibration Certificate

Sample Code	DXL/2025/1108	Page No.: 01/01
Customer Name & Address:	M/s Haat Supreme Wastech Private Limited #V.P.O. Bazida Jatan, Karnal, Haryana-132037	
Calibration Date:	26-03-2025	Calibration Due Date: 26-09-2025

PRODUCT DETAIL:

Product Name:	Online Emission Monitoring System	Make & Model:	Drexel & DX4B
Product Sr. No.:	53	Voltage & Frequency:	220V AC/50 Hz

Results:

Sr. No.	Sensor Applicable	Gas Conc.	Current (Range 4 mA – 20 mA )			
			Minimum	Span	Maximum	Remark
1	CO	500 PPM	0 PPM	503 PPM	10,000 PPM	ok
2	CO2	6 %	0 PPM	5.1 %	12 %	ok
3	HCL	500 PPM	0 PPM	500 PPM	1000 PPM	ok
4	NOX	500 PPM	0 PPM	495 PPM	1000 PPM	ok
5	SPM	Zero Check		Isokinetic Technique		
Suction Unit:						
1.	Suction Pump	ok	Auto- clean Filter Assembly			ok
2.	Filter Assembly	ok	Purging Cycle			ok

Remarks: System is completely tested & inspected properly and found OK.

Tested By  
Mr. Israfil  
Field Engineer



Checked By  
Mr. Gurpreet Singh Field  
Senior Engineer (Technical)



Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

Annexure-8

**Analysis Report of Trade Effluent dated 20.01.2025**

**Form J**  
(See Rule 16)

Report No-1869  
Type of Sample: Legal  
Dated:- 20.01.2025

I hereby, certify that I Neeraj Bala Board Analyst duly appointed under sub section (3) of section 53 of the Water (Prevention and Control of Pollution) Act 1974 (26 of 1974), received a sample on the 14<sup>th</sup> day of January, 2025, collected by Sh. Hardik, AEE accompanied by Sh. Shalender Arora, EE dated 13<sup>th</sup> day of January, 2025 of M/s Haat Supreme Wastech (P) Ltd, Bajida, Karnal, for analysis.

Further certify that I have analyzed the above mentioned sample on 14<sup>th</sup> January, 2025 to 20<sup>th</sup> January, 2025 and declare the result of analysis to be as follows:

Sr. No.	Parameter Name	Result	Result	Limit	Test Method
1.	Sample Code	3642	3643		
2.	Sample Collected from	Inlet of ETP	Outlet of ETP		
3.	Color	Black	Pale Yellow		
4.	Odour	Foul	Mild		
5.	pH value at 25°C	7.20	6.04	5.5-9.0	APHA 8000-H (B)
6.	Biological Oxygen Demand (mg/l)	125.0	7.2	30	IS 3025 (Part) 4B
7.	Chemical Oxygen Demand (m g/l)	392.0	44.0	250	APHA 5220 (B)
8.	Total Suspended Solids (mg/l)	182.0	13.0	100	APHA 2540 (C)
9.	Oil and Grease (mg/l)	15.0	8DL(DL=2)	10	APHA 1520 (B)
10.	Conductivity at 25°C (µS/cm)	7300.0	779.0		IS 3025 (Part) 2A
11.	Total Dissolved Solids (mg/l)	4010.0	428.0	2100	APHA 2540 (C)

The Conditions of the seals, listening and container on receipt was as follows:  
Container had its seal found intact and in order, slip on the container had the signature of the representative of the industry and the Board.  
Signed this 20<sup>th</sup> day of January, 2025  
Haryana State Pollution Control Board Laboratory,  
C-11, Sector-06, Panchkula, Haryana  
To  
The Member Secretary, HSPCB, Panchkula  
CC to Regional Office: Karnal. This test report relate only to the particular sample submitted for testing.


*Neeraj Bala*  
Board Analyst

\*\*\*End of the Report\*\*\*

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.  
**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

Annexure-9

Analysis Report of Air Emissions (Incinerator) dated 16.01.2025



## Form IV

(See Rule 20)

Dated: 16.01.2025

Report No- 761

I hereby, certify that I Neeraj Bala Board Analyst duly appointed under sub section (2) of section 29 of the Air (Prevention and Control of Pollution) Act 1981 received a sample on the 14<sup>th</sup> January of 2025, collected by Sh. Hardik, AEE accompanied by Sh. Shailender Arora, RO, Karnal on the 13<sup>th</sup> January of 2025, of M/s Haat Supreme Wastech (P) Ltd, Bazida Jattan, Karnal for analysis.


Further certify that I have analyzed the above mentioned sample on 14<sup>th</sup> day January of, 2025 to 16<sup>th</sup> - January-2025 and declare the result of analysis to be as follows:-

Sr. No.	Parameter Name	Result	Limit
1.	Sample Code	761	
2.	Name of Plant/ Section #	Incinerator	
3.	Stack Attached to #	Wet Scrubber & Venture Scrubber & Packed Scrubber	
4.	Normal Operating Schedule (hr/day)#	08-10 hrs	
5.	Type of Chimney #	Metal	
6.	Stack Temperature (°C) #	105	
7.	Average stack velocity (m/sec) #	5.56	
8.	Stack Height from Ground Level #	32 m (approx.)	
9.	Diameter of the Stack #	0.4 m (approx.)	
10.	Quantity of Emission (m <sup>3</sup> /sec)	0.70	
11.	Type of Fuel #	LSHS	
12.	Suspended Particulate Matter (mg/m <sup>3</sup> )	46.7	80
14.	Oxide of Nitrogen (NOx) (mg/m <sup>3</sup> )	9.0	400
15.	HCL (mg/m <sup>3</sup> )	ND	50

**Method of Testing** As per relevant part of Indian Standard Methods for Measurement of Air Pollution IS:11255 (P-1) Stack/IS:5182(P-4) Ambient and Emission regulation part III of Central Pollution Control Board.

The Conditions of the seals, listening and container on receipt was as follows:  
 Container had its seal found intact and in order, slip on the container had the signature of the representative of the industry and the Board.

Signed this - 16.01.2025  
 Haryana State Pollution Control Board Laboratory,  
 C-11, Sector-6, Panchkula, Haryana  
 To

  
**Neeraj Bala**  
 Board Analyst

The Member Secretary, HSPCB, Panchkula  
**Regional Office: Karnal.** This test report relate only to the particular sample submitted for testing.  
# This information is provided by the field officer.

\*\*\*End of the Report\*\*\*

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.  
**Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025**

Annexure-10

Noise Monitoring Report



**Envirochem Testing & Consultancy LLP**

(Formerly known as Envirochem Testing Lab & Research Centre)

(GOVT. APPROVED LAB)

(An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Lab)

Plot No. 165, 1st Floor, Sector-25, Part-II, HUDA, Panipat-132103, Hr.

M. : +91 90348 91129, 89501 75388

Email : envirochemtestinglab@gmail.com

Web : www.etlrc.com

**TEST REPORT**

<b>Report No</b>	ETL/PNP/57439	<b>Report Date</b>	20.03.2025	<b>Doc No.</b>	ETL/QF/7.8/01
<b>Issue to:</b> M/s Haat Supreme Wastech Pvt. Ltd. V.P.O. Bazida Kalan , Karnal		<b>Party's Ref No:</b> Nil <b>Work Order No:</b> 40651 <b>Period of Testing:</b> 20.03.2025			

**SAMPLE PARTICULARS**

1	Type of sample	: DG NOISE- (45 KVA)
2	Date of sample measurement	: 20.03.2025
3	Purpose of analysis	: Monitoring purpose
4	Sample collected/ supplied by	: By Lab Representative

**OBSERVATIONS**

Sr. No.	Point of measurement	I	II	III	IV	V	VI
1.	Acoustic Enclosure (0.5 m away from DG)	71.4	70.6	71.5	73.3	68.7	71.4

**TEST RESULTS**

Sr. No.	Point of measurement	Noise Level (dB)			Standard Limit (dB)
		Min.	Max.	Average	
1.	Acoustic Enclosure (0.5 m away from DG)	68.7	73.3	71.0	75

Remarks: Analysed Parameters meet the Standards Limits.

\*\*\*\*\*End Report\*\*\*\*\*

*[Signature]*  
Verified By  
Chemist



Authorized By  
Neha Singh


- N 1. Samples shall be disposed off after 15 days issue of test report unless specified.  
O 2. Results listed above related to the tested samples. Endorsement of the same is neither inferred nor implemented.  
T 3. The test report shall not be reproduced full or in part & can't be used as proof in the court of law.  
E 4. The test report should not be used in any advertising agency/media without the written approval of laboratory

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

Annexure-11

Manifest dated 27.01.2025 of Incineration Ash

 <b>HARYANA STATE POLLUTION CONTROL BOARD</b> Regional Office Karnal, 2nd floor of SCO No.78-79 above PNB bank, near namstay Chowk, Karnal, Haryana. Email:- hspcbrokar@gmail.com <b>(Hazardous Waste Manifest)</b> Form 10 [See rule 19(1)]		Manifest No: 92577563 WHITE	Copy 1
HQ: Haryana State Pollution Control Board, C-11, Sector-6, Buzidkuta 134189, Ph:-0172-257746-73, Email: Hqhspcb@hsprh.org.in			
1	Sender's Name, Mailing Address, Phone no & Email Address:	Haat Supreme Wastech Pvt. Ltd VPO, Bajida Jattan, Karnal 9992600124 haatsupreme@yahoo.in	
2	Authorization Application No.:	79314920	
3	Authorization Letter No and Date:	HWM/KAR/2024/79314920, 2024-10-30	
4	Authorization validity:	From: 2024-10-30 To: 2028-09-30	
5	Transporter's Name, Address & Phone no:	Gujarat enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village-Pali, Near Pali-Mohabatabad Stone Crusher Zone, Faridabad	
6	Transport's Registration No:	HR-55-AE-0678	
7	Vehicle No. & Type:	0678   Truck	
8	Receiver's Name, Mailing Address, Phone no & email address:	M/s Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village Pali, near Pali- Mohabatabad Stone crusher Zone, Faridabad, Haryana 7290099681 haryana@iathraIndia.com	
9	Receiver's Authorization No. with PCB:	HWM/FDBD/2021/13751961, 07-08-2021	
10	Total Quantity:	2 MT	
11	Physical Form:	Solid.	
12	Number of Containers:	1	
		Container 1	2
			MT
13	Name of Schedule:	Schedule I	
	Name of Process/Sub Class/Basel no:	Hazardous waste treatment processes, e.g. pre-processing, incineration and concentration	
	Name of Process Waste (Category No):	Ash from incinerator and flue gas cleaning residue	
	Detail/Reason of Subclass/Basel no:		
	Quantity:	2 MT	
	Waste Type:	Landfillable	
	Waste Storage:	Others   bags	
	Waste Description:	Incineration Ash	
14	Sender's Certificate:	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations.	
	Name & Stamp of Industry:	Haat Supreme Wastech Pvt. Ltd	Date: 27-Jan-25 Signature
15	Transporter Acknowledgement of Receipts of Wastes:	Stamp of: Gujarat enviro Protection and Infrastructure (Haryana) Pvt. Ltd Date: 27-Jan-25 Signature	
16	Special handling instructions and additional information:	use ppc's	
17	Receiver's Certification for receipt of Hazardous and other waste:	Stamp of: M/s Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village Pali, near Pali- Mohabatabad Stone crusher Zone, Faridabad Date: -- -- Signature	

\*\* This is System Generated Manifest for HAZARDOUS AND OTHER WASTE by HROCMMS Haryana \*\*  
 Created By OCMMMS ID:- 14KAR659459 | Created Date:- 27-Jan-25 | Haat Supreme Wastech Pvt. Ltd, VPO, Bajida Jattan, Karnal

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

Annexure-12

**Six Monthly expenditure incurred on various activities in compliance of implementation of Environment Management Plan for the period 01.10.2024 to 31.03.2025.**

<b>S. No.</b>	<b>Pollution control system</b>	<b>Cost incurred (in ₹) 01.10.2024 to 31.03.2025</b>
1	Air pollution control (Stack for Incineration and DG set, Scrubber)	165000
2	Water pollution (Effluent Treatment Plant)	70000
3	Environment lab and monitoring	50000
4	Occupational Health (PPE)	40000
5	Green Belt	25000
<b>Total</b>		<b>350000</b>

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.  
Half-yearly Compliance Report of EC Conditions October, 2024 to March, 2025

### Annexure-13

### Proof of receipt of submission of Environment Statement

