



Mob.: 99926-00126  
99927-15000

## HAAT SUPREME WASTECH PVT. LTD.

Near Railway Crossing, V.P.O. Bazida Jattan, KARNAL

Head Office : 316, Defence Colony, HISAR

E-mail: haatsupreme@yahoo.in

Ref. No. HSWL/2024-25/42

Date: 30.09.2024

To

Regional Officer,  
Haryana State Pollution Control Board,  
Regional Office, Karnal

### **Sub: Revised Environment Statement – 2023-24**

Sir,

Kindly refer to our letter reference letter no. HSWL/2024/05 dated 30.04.2024 wherein some typographical errors occurred and accordingly, we are submitting revised Environment Statement in prescribed form V for the year ending 2024 (period 2023-24) for necessary action please.

**Encl: Env Statement**

Thanking you

For HAAT Supreme Wastech Pvt. Ltd.,

Auth. Signatory



**Environment Statement**  
**(Form – V)**  
**(Period: 01.04.2023 to 31.03.2024)**



**Submitted to:**

**Regional Officer,  
Haryana State Pollution Control Board  
Karnal**

**Submitted by:**

**M/s HAAT Supreme Wastech Pvt Ltd.,  
Village Bazida Jattan, District: Karnal (Haryana)**

**FORM V**  
**(See Rule 14)**

**Environmental Statement for the financial year ending on**  
**31st March, 2024**

**PART A**

1	Name and address of the owner/ occupier of the industry operation or process	:	M/s HAAT Supreme Wastech Pvt. Ltd., Village Bazida Jattan, Distt. Karnal (Haryana)
2	Industry category Primary (SIC Code) Secondary (SIC Code)	:	Red Category
3	Production capacity	:	Incinerator : 70 Kgs/hr Autoclave : 25 Kgs/hr Shredder : 50 Kgs/hr ETP : 2400 Ltrs/day DG set : 45 KVA
4	Year of establishment	:	2004
5	Date of the last environmental statement submitted	:	26.04.2023

- Consent to operate under Water/Air Acts, 1974/1981 for FY 2023-24 is annexed as **Annexure-I.**
- Authorization under HOWM Rules, 2016 for FY 2023-24 is annexed as **Annexure-II.**
- Authorization under BMW Rules for FY 2023-24 is annexed as **Annexure-III.**

## PART B

### **Water and Raw Material Consumption:**

Water Consumption (m<sup>3</sup>/day): **01 m3/day**

**Table 1**

Sr.No	Utilization	Requirement m3/d
1	Floor Washing (Reuse after Treatment)	0.2
2	Vehicle washing (Reuse after Treatment)	0.4
2	Domestic use	0.5
3	Venturi Scrubber	0.5

Name of Products	Process Water Consumption per unit of production output	
	During previous financial Year (2022-23)	During current financial Year (2023-24)
Treatment of Bio Medical Waste	As mentioned in Table 1 above	As mentioned in Table 1 above

### **1. Raw Material Consumption:**

Name of Raw Materials	Name of Products	Consumption of Raw material in Kgs	
		During previous Financial Year (2022-23)	During current financial Year (2023-24)
Bio Medical Waste	Nil	380957	419435

## PART – C

### POLLUTION DISCHARGED TO ENVIRONMENT PER UNIT OF OUTPUT

(Parameter as specified in the Consent issued)


#### (A) Water Pollution Load:

S. No.	Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of Pollutants discharged (mg/l)	% of variations from prescribed standards with reasons
(1)	Suspended Solids	0.006	26	No deviation from prescribed standards.
(2)	BOD <sub>3</sub> at 27°C	0.00375	11	
(3)	COD	0.014	68	
(4)	Oil & Grease	0	0	

Note:

- (i) Calculations based on total discharge of 0.5 KLD of trade effluent & characteristics of treated sewage.
- (ii) Source of data: Test Report No. 4170 dated 16.01.2024 (**Annexure-4**) issued by Laboratory SCO -115,1st and 2<sup>nd</sup> floor ,sector-25, Panchkula (Haryana).
- (iii) No Discharge of trade effluent and reused in various industrial usages.

#### (i) Chart showing results of trade effluent after treatment in ETP



Parameter	Results mg/l	Limits mg/l
BOD mg/l	11	30
COD mg/l	68	250
Total Suspended Solids mg/l	26	100
Oil & Grease	0	10


**(B) Air Pollution Load:**

**Stack emission**

S.No.	Air Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of Pollutants discharged (mg/Nm <sup>3</sup> )	% of variations from prescribed standards with reasons
(1)	PM	1.113	26.9	No deviation from prescribed standards
(2)	Sulphur Dioxide	0.757	18.3	
(3)	Oxides of Nitrogen	0.621	15.0	

**Note:**  
Source of data: Test Report No. 405 dated 07.04.2023 **(Annexure-5)** issued by Laboratory SCO -115, 1<sup>st</sup> and 2<sup>nd</sup> floor, Sector-25, Panchkula (Haryana).

**(ii) Chart showing results of Air Emissions (Incinerator)**



Parameter	Results	Limits
SPM mg/m <sup>3</sup>	26.9	80
Sulphur Dioxide	18.3	
Oxides of Nitrogen	15	

## PART – D

### HAZARDOUS WASTES:

(As specified under Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 and subsequent amendments)

Hazardous Wastes	Total Quantity (kgs)	
	During previous financial Year (2022-23)	During current financial Year (2023-24)
From Process (Incineration Ash)	4735.4	8044.6
From Pollution Control Facility		
1. ETP Sludge.	1. 523.7	1272
2. Scrubber residue.	2. 40	60
3. Used Oil from DG set.	3. 0.069	0.050

## PART – E

### SOLID WASTES

Major portion of the solid waste is incineration ash and is disposed off to TSDF at Palli, Faridabad. Quantity is given in part D above.

## **PART – F**

**Please specify the characteristics (in terms of concentration and quantum) of hazardous wastes as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.**

- 1. Waste Oil (Category No. 5.1):** Source of used oil is from maintenance of DG sets and is used as lubricant in machinery installed in CBWTF.

**(a) Quantity:**

A little quantity of used oil is generated from DG Set which was about 0.05 KL.

**(b) Disposal Practice:**

The used oil generated was stored in leak proof containers and stocked in safe storage area within the CBWTF premises. Later on it has been used as lubricant in machineries installed in CBWTF.

- 2. Hazardous Wastes from Process, Pollution Control Devices:**

**i) Quantity:**

The total quantity of solid hazardous waste generated (during 2023-24) from process i.e. incineration ash was about 8.044 Ton.

The total quantity of solid hazardous waste generated (during 2023-24) from pollution control devices i.e. ETP Sludge were about 1.272 Ton and Scrubber residue was about 0.060 Ton.

**ii) Disposal Practice:**

The hazardous wastes are stored in an intermediate, leachate proof storage room of adequate capacity, situated inside the factory premises. Hazardous waste was disposed off by availing TSDF services being offered by M/s Gujarat Enviro protection & Infrastructure (Haryana) Pvt. Ltd.

### **Solid Wastes:**

Major portion of the solid waste is incineration ash and is disposed off to TSDF at Palli, Faridabad.

## **PART - G**

### **Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production**

#### **a) Air Pollution Control Devices:**

State-of-the-art air pollution control devices have been provided in the incinerating plant. The CBWTF has installed PM Collector, Quencher and Venturi Scrubber with droplet Separator, ID fan attached with stack of 30 meters height which are being used for maintaining air emission level within prescribed standards. The CBWTF has incurred expenditure in the operation and maintenance of pollution control devices.

#### **b) Installation of Real Time Online Emission Monitoring System:**

The CBWTF has installed OCEMS for providing real time data of various parameters prescribed by CPCB/HSPCB and is connected to server of CPCB/HSPCB.

#### **c) Water Pollution Control Devices:**

A sophisticated Effluent Treatment has been installed and operated regularly to control water pollution originating from Venturi Scrubber, Vehicles washing and floor washing. The water consumption in the plant has been reduced in view of recirculation and reuse after treatment. The CBWTF has incurred expenditure in the operation and maintenance of pollution control devices.

#### **d) Greenbelt:**

The CBWTF has planted varieties of plants in the premises and surrounding area for green belt development.

## **PART - H**

### **Additional measures / investment proposal for environmental protection including abatement of pollution:**

The CBWTF had adopted following measures for environmental protection including abatement of pollution:

1. Properly operation of plant.
2. Care of Hygiene and housekeeping in CBWTF.
3. Reuse of treated water of ETP in Venturi Scrubber.
4. Proper preventive equipments provided to workers.
5. Awareness of nearby public and representatives of Health Care Facilities regarding proper disposal of Bio-Medical Waste.

## **PART - I**

### **Any other particulars in respect of environmental protection and abatement of pollution:**

1. Silent DG sets have been installed to curb noise pollution
2. HSD meeting Euro III standards are used as fuel to run DG set. This fuel is of high quality and low in sulfur contents (less than 0.035%). By adoption of such qualitative fuel, the project also meets the decision taken by Environment Pollution (Prevention & Control) Authority for the National Capital Region on 8<sup>th</sup> November 2008.
3. Awareness programs have been conducted to sensitize stake holders HCFs.

## **Annexure – 1 to 5**

**Copies of Consent,**

**Authorization**

**&**

**Analysis Reports**

## Consent to Operate under Water/Air Acts, 1974/1981 with validity upto 30.09.2025


**HARYANA STATE POLLUTION CONTROL BOARD**

Regional Office Karnal , 2nd floor of SCO No.78-79 above PNB bank, near namstay Chowk,  
karnal,Haryana. Email:- hspcbrokar@gmail.com  
E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 320220920KARCTO7679686

Dated:29/06/2020

To.

M/s :Haat Supreme Wastech Pvt. Ltd  
VPO. Bazida Jattan , Karnal

Subject: Grant of consent to operate to M/s Haat Supreme Wastech Pvt. Ltd.

Please refer to your application no. 7679686 received on dated 2020-06-01 in regional office Karnal. With reference to your above application for consent to operate, M/s Haat Supreme Wastech Pvt. Ltd is here by granted consent as per following specification/Terms and conditions.

<b>Consent Under</b>	BOTH
<b>Period of consent</b>	01/10/2020 - 30/09/2025
<b>Industry Type</b>	Common treatment and disposal facilities(CETP, TSDF, E- waste recycling, CBMWTF, effluent conveyance project, incinerator, solvent/acid recovery plant, MSW sanitary land fill site)
<b>Category</b>	RED
Investment(In Lakh)	24.6000004
Total Land Area(Sq. meter)	4046.0
Total Builtup Area(Sq. meter)	250.0
<b>Quantity of effluent</b>	
1. Trade	3.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	2.0
<b>Mode of discharge</b>	
1. Domestic	Septic Tank
2. Trade	Reused
<b>Domestic Effluent Parameters</b>	
1. BOD	30 mg/l
<b>Trade Effluent Parameters</b>	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
Number of stacks	1
<b>Height of stack</b>	
1. Stack to incinerator	30 m

<b>Emission parameters</b>	
1. SPM	150 mg/m <sup>3</sup>
<b>Product Details</b>	
1. BMW waste	500 Metric Tonnes/day
<b>Capacity of boiler</b>	
1. NA	0 Ton/hr
<b>Type of Furnace</b>	
1. Incinerator	0.08 MT/DAY
<b>Type of Fuel</b>	
1. Diesel	0.08 Ton/day
<b>Raw Material Details</b>	
BMW waste	0.5 Metric Tonnes/Day

*Regional Officer, Karnal  
Haryana State Pollution Control Board.*

#### **Terms and conditions**

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of

change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.

12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.

13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.

14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.

15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.

16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

#### **Specific Conditions :**

1. That the unit shall keep all the parameters within the prescribed limits and shall comply with all the Norms and Rules as prescribed in the Acts. 2. That the unit will comply with all the provisions of BMW rules/Hazardous Waste Rules and will make agreement with GEPIL and Authorized recycler of the Board for scientific disposal of Hazardous Waste. 3. That unit will use only prescribed Fuel. 4. That unit will comply with the Mechanism evolved by MOEF for the new activities under Red and Orange categories in critically polluted cities circulated by CPCB vide no. CPCB/IPC-VII/CEPI/NGT/2019 dated 25.10.2019. 5. That unit will not discharge any effluent out side the premises and maintained ZLD. 6. That Unit will use treated effluent use as per CPCB guidelines for ZLD units. 7. That unit will maintain & connect the data to the server of CPCB and HSPCB. 8. That the CTO so granted shall become invalid in case of violation of any of the above / any law of the land.

*Regional Officer, Karnal  
Haryana State Pollution Control Board.*

## Annexure-2

### Authorization under HWTM Rules with validity upto 30.09.2024

Application no. :8308096

Industry id: 14KAR659459

Date: 02/01/2024



**Haryana State Pollution Control Board**  
Regional Office Karnal , 2nd floor of SCO No.78-79 above PNB bank, near  
namstay Chowk, Karnal, Haryana. Email:- hspcbrokar@gmail.com



No. :HWM/KAR/2024/8308096

DT: 02/01/2024

To

M/s Haat Supreme Wastech Pvt. Ltd  
VPO. Bazida Jattan , Karnal  
Karnal

#### Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundary Movement) Rules, 2016

- Reference of application:8308096 dated: 02/01/2024
- Ishwar Gulia of Haat Supreme Wastech Pvt. Ltd is hereby granted an authorization for generation, collection, storage on the premises situated at VPO. Bazida Jattan , Karnal

#### Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Hazardous waste treatment processes, e.g. pre-processing , incineration and concentration, Ash from incinerator and flue gas cleaning residue	GEPIL	7.4 T/Annum
2	Hazardous waste treatment processes, e.g. pre-processing , incineration and concentration, Sludge From wet scrubbers	GEPIL	1 T/Annum

- The authorization shall be valid for a period of 02/01/2024 to 30/09/2024
- The authorization is subject to the following general and specific conditions :-

- (i) 1) Will renew its CTO 90 days before expiry 2) Will timely renew its HWM authorisation 90 days before expiry 3) Will maintain storage site 4) Will immaculately follow the HWM Rules 2016 and as amended thereof 5) Will maintain the HWM Display Board at the entrance 6) Will submit annual returns/report timely to HSPCB 7) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable) 8) Will abide by the new HWM rules and guidelines for units lying in proximity to the severely polluted cities as per CEPI score (if applicable) 8) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable). 9) Authorisation so granted is without prejudice to the action to be taken in respect of any violation made by unit in past & will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 10) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 11) Any appeal against this authorisation shall lie with the Appellate Authority (as constituted by the State Government of Haryana), if preferred, within a period of 30 days as prescribed under Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981. In case of appeals against any decision/directions/orders under the the Environment (Protection) Act, 1986, the same shall lie as per the provisions and contents of the Section 16 of the National Green Tribunal Act, 2010. 12) Concealing factual data or submission of false/fabricated data may result in revocation of this authorisation and attract action under the relevant provisions of Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 13) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 14) The HSPCB reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

HARYANA STATE

SHAILENDER ARORA

Regional Officer Karnal  
For Haryana State Pollution Control Board

Regional Officer Karnal

For Haryana State Pollution Control Board

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30 th for the period ensuring 31 st March of the year.

*Application no. :8308096*  
*Industry id: 14KAR659459*  
*Date: 02/01/2024*

**Regional Officer Karnal**  
**For Haryana State Pollution Control Board**



## Authorization under BMW Rules with validity upto 30.09.2028

Application no. :45428786

Industry id: 23JIN458289

Date: 18/09/2023

**HARYANA STATE POLLUTION CONTROL BOARD**  
 Regional Office, HSPCB, Jind SCO 23-24, District Shopping Centre, Ground  
 Floor, LIC Branch Office, Sector-10, Urban Estate, Jind- 126102. Email:-  
 hspcbrojnd@gmail.com



No. HSPCB/BMW/2023-2024

Dated 18/09/2023

Authorization No. BMW23JIN45428786

Application No.  
45428786

Date of Submission 06/09/2023

**BIO MEDICAL WASTE AUTHORIZATION CERTIFICATE****UNDER BIO MEDICAL WASTE RULES,2016.**

1. M/s :Divya Waste Management Co. an occupier or operator of the facility located at V & PO Shahpur, Tehsil Alewa, District Jind Haryana , is hereby granted an authorisation for; Generation, segregation,Collection,Storage,Reception,Transportation,Treatment or processing or conversion,Disposal or destruction use

2. M/s Divya Waste Management Co. is hereby authorized for handling of Biomedical Waste as per the capacity given below:

- (i) Number healthcare facilities covered by CBMWTF: 642 (Jind and Sonipat)  
 (ii) Installed treatment and disposal capacity: 2400 Kg/Day  
 (iii) Area or distance covered by CBMWTF: 150  
 (iv) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	05
	b) Animal Anatomical Waste	0
	c) Soiled Waste	20
	d)Expired or Discarded Medicines	5
	e)Chemical Solid Waste	1014
	f) Chemical Liquid Waste	2.0
	g)Discarded linen, mattresses, beddings contaminated with blood or body fluid	0
	h) Microbiology, Biotechnology and other clinical laboratory waste	3
Red	Contaminated waste (Recyclable)	98
White(Translucent)	Waste sharps including Metals	41
Blue	Glassware	75
	Metallic Body Implants	

Environmental Statement (Form-V) F.Y. 2023-24

M/s HAAT Supreme Wastech Pvt. Ltd., Village Bazida Jattan, District Karnal - Page 16 of 20

3. This authorisation shall be in force for CBMWTF from a period of 18/09/2023 To 30/09/2028 Year from the date of issue.
4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

**TERMS & CONDITIONS OF AUTHORISATION:-**

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July,2016
2. Bio-Medical Waste shall be treated & disposed off in Compliance with the standards prescribed in Schedule I.
3. Every occupier where required shall setup in accordance with the time schedule-IV, requisite treatment Bio-Medical Waste treatment facilities like incinerator,autoclave,microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at appoint of generation with Shedule-II prior to its storage, transportation,treatment & disposal.The containers shall be labeled according to Schedule-II
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motors Vehicle Act, 1995 or rules there under, untreated the Bio-medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste Shall be kept stored beyond a period of 48 hours.
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/retrofitted with the incinerator to acheive the above emission limits, if necessary.
12. Waste to be incinarated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinarated.Toxic metals in incinaration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S/Deisel shall be used as fuel in the incinarator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.

Application no. :45428786

Industry id: 23JIN458289

Date: 18/09/2023

17. The authorization would be subject/having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log Book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e.incineration, autoclaving or landfill etc.
19. The yellow Bags should be non chlorinated bags.
20. The every occupier will also submit the copy of agreement every year before 30th April from any authorised services provider.

**Conditions:**

1. The unit will adhere the BMW Rules, 2016.
2. Unit will submit annual returns regularly before 30th June every year
3. The unit will submit annual report every year as per BMW Rules.
4. The unit will renew agreement with GEPIL for disposal of HW and submit hard copy in this office.
5. The unit will apply for consent to operate as per BMW Rules, 2016.
6. Unit will maintained.
6. Unit will submit the fresh agreements with service providers on yearly basis.
7. The unit will comply with provisions of the BMW Rules, 2016 and Environment Protection Act, 1986.
8. The unit will abide by the directions/guidelines HSPCB/CPCB/ Decisions of any court/EPCA/ direction of any competent authority issued from time to time.
9. The unit will comply with guidelines issued by CPCB for CBWTFs
10. The unit will run & maintain the pollution control devices i.e. ETP, APCM & HWM facilities in well working and will maintain the separate proper logbooks of the same
11. The unit will handle the BMW related to COVID waste, strictly as per the Guidelines/instructions issued by HSPCB/CPCB /Govt. of India.
12. That authorization under BMW rules 2016 shall not provide immunity from any other Act/Rule applicable on the unit.
13. If fails to comply with conditions/provisions of BMW rules 2016 the authorizations granted shall be revoked automatically without giving any notice.

**KAMALJIT SINGH**  
Regional Officer, Ind  
Haryana State Pollution  
Control Board.

Digitally signed by  
KAMALJIT SINGH  
Date: 2023.09.18 11:03:06

## Analysis Report of Trade Effluent dated 16.01.2024



7 Form J

(See Rule 36)



Report No-4170

Type of Sample: Legal

Dated: 16.01.2024

I hereby, certify that I Neeraj Bala Board Analyst duly appointed under sub section (3) of section 53 of the Water (Prevention and Control of Pollution) Act 1974 (06 of 1974), received a sample on the 05<sup>th</sup> day of January, 2024, collected by Sh. Hardik, AEE dated 04<sup>th</sup> day of January, 2024 of M/s Haat Supreme Wastech, Vill. Bajida Jattan, Karnal for analysis.

Further certify that I have analyzed the above mentioned sample on 05<sup>th</sup> -January-2024 to 16<sup>th</sup> January-2024 and declare the result of analysis to be as follows:

Sr. No.	Parameter Name	Result	Result	Limit	Test Method
1.	Sample Code	6072	6073		
2.	Sample Collected from	Inlet of ETP	Outlet of ETP		
3.	pH value at 25°C	4.76	7.23	6.5-8.5	APHA,4500H+B(24 <sup>th</sup> )
4.	BOD (mg/l)	320.0	11.0	30	IS:3025(Part-44)
5.	COD (mg/l)	1232.0	68.0	250	APHA,5220-B(24 <sup>th</sup> )
6.	Total Suspended Solids mg/l	580.0	26.0	100	APHA,2540-D(24 <sup>th</sup> )
7.	Oil and Grease (mg/l)	21.5	BDL(DL=2)	10	APHA,5520-B(24 <sup>th</sup> )
8.	Conductivity (u S/cm) at 25°C	7160.0	1367.0	-	IS:3025(Part-14):2013
9.	Total Dissolved Solids mg/l	3924.0	742.0	2100	APHA,2540-C(24 <sup>th</sup> )

The Conditions of the seals, listening and container on receipt was as follows:

Container had its seal found intact and in order, slip on the container had the signature of the representative of the industry and the Board.

Signed this 16<sup>th</sup> day of January, 2024  
Haryana State Pollution Control Board Laboratory,  
SCO-115, 1st & 2nd Floor, Sector-25, Panchkula, Haryana

To

The Member Secretary, HSPCB, Panchkula  
CC to Regional Office: Karnal. This test report relate only to the particular sample submitted for testing.

*Neeraj Bala*  
Board Analyst

## Analysis Report of Air Emissions (Incinerator) dated 07.04.2023

**Form IV**  
(See Rule 20)

Report No- 405 Dated: - 07.04.2023

I hereby, certify that I Neeraj Bala, Board Analyst duly appointed under sub section (2) of section 29 of the Air (Prevention and Control of Pollution) Act 1981 received a sample on the 31<sup>st</sup> day March of, 2023, collected by Sh. Nipun Gupta, AEE on dated 31<sup>st</sup> day March of, 2023, of M/s Haat Supreme, Vill. Bajida Jattan, Karnal for analysis.

Further certify that I have analyzed the above mentioned sample on 31- March - 2023 to 07- April-2023 and declare the result of analysis to be as follows:-

Sr.	Parameter Name	Result	Result	Limit
1.	Sample Code	405		
2.	Name of Plant/ Section #	Incinerator		
3.	Stack Attached to #	Incinerator		
4.	Normal Operating Schedule (hr/day)#	10-12 hrs		
5.	Type of Chimney #	Metal		
6.	Stack Height from Ground Level #	32 m		
7.	Diameter of the Stack #	400 mm		
8.	Stack Temperature (C) #	120		
9.	Average stack velocity (m/sec) #	9.16		
10.	Quantity of Emission (m/sec)	1.15		
11.	Type of Fuel #	LSHS		
12.	Suspended particulate matter	26.9		80
14.	Sulphur dioxide (mg/m <sup>3</sup> )	18.3		
15.	Nitrogen Oxide (mg/m <sup>3</sup> )	15.0		

Method of Testing As per relevant part of Indian Standard Methods for Measurement of Air Pollution IS:11255 (P-1) Stack/IS:5182(P-4) Ambient and Emission regulation part III of Central Pollution Control Board.

The Conditions of the seals, listening and container on receipt was as follows:  
Container had its seal found intact and in order, slip on the container had the signature of the representative of the industry and the Board.

Signed this -07.04.2023

Haryana State Pollution Control Board Laboratory,  
SCO-115, 1<sup>st</sup> & 2<sup>nd</sup> Floor, Sector-25, Panchkula, Haryana  
To  
The Member Secretary, HSPCB, Panchkula

*Neeraj Bala*  
Board Analyst

Regional Office: Karnal. This test report relate only to the particular sample submitted for testing.

\* This information is provided by the field officer.